


THREAD
GUIDE

Gütermann



Index

Mara	3
Mara rPET	4
Maraflex	4
Tera	5
Skala	6
Tera fein	6
Piima	7
Princess	7
Gütermann E	8
Perma Core® Ultimate	9
Perma Core®	9
Anecot® Plus	10
Lyocell	10
Elastic	11
Zwibond	12
Amifil	12
Anebraid®	13
Calora UV	14
Solbond	14
Sunstop®	15
Anesafe®	16
Gütermann K	16
Gütermann K AR	17
Gütermann L	17
Acero	18
Aneguard using Kevlar®	18
Antistatik	19
Poly/Poly SF	20
Polypropylen SF	20
Polyacryl	20
PTFE	21
WS	21

100% Polyester

MICRO CORE TECHNOLOGY®	
Mara	3
CORE SPUN	
Perma Core® Ultimate	9
Perma Core®	9
Poly/Poly SF	20
TEXTURED MULTIFILAMENT	
Piima	7
Gütermann E	8
CONTINUOUS FILAMENT	
Tera	5
Tera fein	6
Anebraid®	13
Calora UV	14
CONTINUOUS FILAMENT, OUTERBONDED	
Solbond	14
Sunstop®	15
Skala	6

100% Polyester, recycled

MICRO CORE TECHNOLOGY®	
Mara rPET	4

100% Polybutylene-terephthalate

MICRO CORE TECHNOLOGY®	
Maraflex	4

100% Cotton

SPUN	
Anecot® Plus	10

100% Polyamid

CORE SPUN	
Antistatik	19
TEXTURED MULTIFILAMENT	
Princess	7
CONTINUOUS FILAMENT	
Amifil	12
CONTINUOUS FILAMENT, INNERBONDED	
Zwibond	12

Aramide / 100% Nomex®

SPUN	
Anesafe®	16
Gütermann K	16
Gütermann K AR	17
Aneguard using Kevlar®	18

CONTINUOUS FILAMENT	
Gütermann L	17

Specials

Lyocell	10
Elastic	11
Acero	18
Antistatik	19
Polypropylen SF	20
Polyacryl	20
PTFE	21
WS	21



Mara

for most beautiful seams

Material / Construction	100 % polyester / Micro Core Technology®
Recommended application	Closing, decorative, overlock, safety & coverstitch seams, straight button holes, eyelet button holes with/without gimp
Product benefits	+ Unique MCT® construction + Brilliant colours with a silky appearance + Fine thread cross-section for particularly smooth seams + Excellent performance on automatic sewing machines + No fibre fly

No./Tkt.	dtex	Needle	Make-up	Code
220	130(1)	NM 60 - 65 / 8 - 9	5,000 m	772607
150	200(2)	NM 65 - 70 / 9 - 10	1,000 m	713953
			5,000 m	713961
120	250(2)	NM 70 - 80 / 10 - 12	1,000 m	700207
			5,000 m	700185
100	300(2)	NM 70 - 90 / 10 - 14	1,000 m	707694
			5,000 m	707708
80	400(2)	NM 80 - 100 / 12 - 16	800 m	700428
			5,000 m	700410
70	400(3)	NM 90 - 100 / 14 - 16	700 m	702170
			7,000 m	702153
50	600(3)	NM 90 - 110 / 14 - 18	500 m	702277
			5,000 m	702250
30	1000(3)	NM 110 - 130 / 18 - 21	300 m	702404
			3,000 m	702358
15	2000(3)	NM 140 - 160 / 22 - 23	150 m	720623
			1,500 m	720429
11	2600(4)	NM 160 - 180 / 23 - 24	110 m	702510
			1,130 m	702501

Available with a water-repellent finish upon request.





Mara rPET

for 100 % recycled seams

- Material / Construction** 100 % polyester, recycled / Micro Core Technology®
- Recommended application** Closing, decorative, overlock, safety & coverstitch seams, straight button holes, eyelet button holes with/without gimp
- Product benefits**
- + Unique MCT® construction
 - + Brilliant colours with a silky appearance
 - + Fine thread cross-section for particularly smooth seams
 - + Excellent performance on automatic sewing machines
 - + No fibre fly

No./Tkt.	dtex	Needle	Make-up	Code
120	250(2)	NM 70 - 80 / 10 - 12	1,000 m	708467
			5,000 m	708468
70	400(3)	NM 90 - 110 / 14 - 16	700 m	708473
			7,000 m	708474
50	600(3)	NM 90 - 110 / 14 - 18	500 m	708470
30	1000(3)	NM 110 - 130 / 18 - 21	300 m	708437
15	2000(3)	NM 140 - 160 / 22 - 23	150 m	708479
11	2650(4)	NM 160 - 180 / 23 - 24	110 m	708518



Maraflex

for highly elastic seams

- Material / Construction** 100 % polybutylenterephthalat / Micro Core Technology®
- Recommended application** Closing & decorative seams
- Product benefits**
- + Unique MCT® construction
 - + Exceptionally elastic
 - + Brilliant colours with a silky appearance
 - + Increases the elasticity of double stitch seams
 - + No fibre fly

No./Tkt.	dtex	Needle	Make-up	Code
120	380(2)	NM 70 - 80 / 10 - 12	1,500 m	716936
80	550(3)	NM 90 - 100 / 14 - 16	2,000 m	716103
50	880(2)	NM 90 - 110 / 14 - 18	3,000 m	717142



Tera

for brilliant seams

- Material / Construction** 100 % polyester / Continuous filament
- Recommended application** Closing & decorative seams
- Product benefits**
- + Durable, robust seams
 - + Very high tear resistance
 - + Very even
 - + Shiny appearance
 - + High rub resistance

No./Tkt.	dtex	Needle	Make-up	Code
80	350(3)	NM 70 - 90 / 10 - 14	2,400 m	704261
			8,000 m	704270
60	500(3)	NM 90 - 100 / 14 - 16	1,800 m	704350
			6,000 m	704369
40	750(3)	NM 90 - 110 / 14 - 18	1,200 m	704440
			4,000 m	704458
30	1000(3)	NM 110 - 130 / 18 - 21	900 m	704601
			3,000 m	704610
20	1500(3)	NM 120 - 140 / 19 - 22	600 m	704687
			2,000 m	704695
15	2000(3)	NM 140 - 160 / 22 - 23	400 m	784290
10	2900(3)	NM 160 - 230 / 23 - 26	300 m	704814
			1,000 m	704822
8	3750(3)	NM 200 - 250 / 25 - 27	800 m	704920
5	6000(3)	NM 250 - 300 / 27 - 29	500 m	704857



Available with a water-repellent finish upon request.



Skala

for almost invisible seams

- Material / Construction** 100 % polyester / Continuous filament, bonded
- Recommended application** Overlock, safety, blindstitched seams
- Product benefits**
- + Optimum colour matching thanks to semi-transparent appearance
 - + Fine thread cross-section for particularly smooth seams
 - + No visible seam marks after ironing
 - + Use of particularly fine needle sizes possible
 - + Very even

No./Tkt.	dtex	Needle	Make-up	Code
360	80(1)	NM 55 - 60 / 7 - 8	5,000 m	749591
			20,000 m	704997
240	120(1)	NM 60 - 65 / 8 - 9	5,000 m	720763
			10,000 m	715174
200	150(1)	NM 60 - 65 / 8 - 9	10,000 m	705020



Piuma

for soft seams

- Material / Construction** 100 % polyester / Textured microfibrils
- Recommended application** Overlock, safety & coverstitch seams
- Product benefits**
- + Soft seams
 - + Very soft and dense overedge coverage
 - + High texturized character
 - + Needle and looper thread suitability
 - + Optimum engineered extension

No./Tkt.	dtex	Needle	Make-up	Code
160	190(1)	NM 65 - 70 / 9 - 10	5,000 m	711616
140	220(1)	NM 65 - 70 / 9 - 10	5,000 m	711004
			10,000 m	788910



Tera fine

for almost invisible seams

- Material / Construction** 100 % polyester / Continuous filament
- Recommended application** Overlock, safety, blindstitched, trimming & padded seams
- Product benefits**
- + Semi-transparent look for discreet seams with multicoloured fabrics
 - + Fine thread cross-section for particularly smooth seams
 - + Use of particularly fine needle sizes possible
 - + No visible seam marks after ironing
 - + Smooth thread surface

No./Tkt.	dtex	Needle	Make-up	Code
180	160(2)	NM 65 - 70 / 9 - 10	5,000 m	704172
			10,000 m	704180
			20,000 m	704199



Princess

for soft seams

- Material / Construction** 100 % polyamide 6.6
Textured microfibrils (Princess 80 and 160)
Continuous filament (Princess 120)
- Recommended application** Overlock, safety & coverstitch seams
- Product benefits**
- + Soft seams
 - + High texturized character
 - + Suitable for garment dyeing
 - + Optimum engineered extension
 - + Use of particularly fine needle sizes possible

No./Tkt.	dtex	Needle	Make-up	Code
160	180(1)	NM 65 - 70 / 9 - 10	5,000 m	713368
			10,000 m	713210
120	250(3)	NM 70 - 80 / 10 - 12	5,000 m	713244
80	380(1)	NM 70 - 90 / 10 - 14	5,000 m	713422





Gütermann E

for overlock seams

- Material / Construction** 100 % polyester / Textured multifilament
- Recommended application** Overlock, safety & coverstitch seams
- Product benefits**
- + Soft seams
 - + High texturized character
 - + Very soft and dense overedge coverage
 - + Needle and looper thread suitability
 - + Optimum engineered extension

	No./Tkt.	dtex	Needle	Make-up	Code
Gütermann E 121	240	120(1)	NM 60 - 65 / 8 - 9	10,000 m	715298
				30,000 m	715280
Gütermann E 151	160	190(1)	NM 65 - 70 / 9 - 10	10,000 m	715328
				24,000 m	715310
Gütermann E 382	80	380(2)	NM 70 - 90 / 10 - 14	6,000 m	730815
				12,000 m	715301



Perma Core[®] Ultimate

for particularly fine seams

- Material / Construction** 100 % polyester / Corespun, compact spun
- Recommended application** Closing, decorative, overlock & safety seams
- Product benefits**
- + Fine thread cross-section for particularly smooth seams
 - + Pucker-free seams
 - + Excellent performance on automatic sewing machines
 - + Optimum engineered extension
 - + Very even

No./Tkt.	dtex	Needle	Make-up	Code
180	160(2)	NM 60 - 65 / 8 - 9	5,000 m	709011



Perma Core[®]

for highly stressed seams

- Material / Construction** 100 % polyester / Corespun
- Recommended application** Closing, decorative, overlock, safety & coverstitch seams, straight button holes, eyelet button holes with/without gimp
- Product benefits**
- + Matt finish
 - + Durable, robust seams
 - + High tear resistance
 - + Excellent performance on automatic sewing machines
 - + High rub resistance

No./Tkt.	dtex	Needle	Make-up	Code
120	240(2)	NM 70 - 80 / 10 - 12	1,000 m	708960
			5,000 m	708961
75	400(2)	NM 80 - 100 / 14 - 18	5,000 m	708941
50	600(2)	NM 90 - 110 / 12 - 16	5,000 m	708931
36	800(2)	NM 100 - 120 / 16 - 19	5,000 m	708921
27	1050(2)	NM 110 - 130 / 18 - 21	5,000 m	708911





Anecot® Plus

for optimal dyeability in garment dyeing

- Material / Construction** 100 % cotton / Spun, long fibre
- Recommended application** Closing, decorative & overlock seams
- Product benefits**
- + Suitable for garment dyeing
 - + Optimum/Excellent dyeability
 - + Combed, gassed and mercerised cotton
 - + Soft seams
 - + Excellent performance on automatic sewing machines

	No./Tkt.	dtex	Needle	Make-up	Code
Anecot® Plus 50/3	90	350(3)	NM 80 - 90 / 12 - 14	10,000 m	705804
Anecot® Plus 30/3	50	600(3)	NM 90 - 110 / 14 - 18	5,000 m	705803
Anecot® Plus 24/3	40	750(3)	NM 110 - 120 / 18 - 19	5,000 m	705802
Anecot® Plus 16/3	25	1100(3)	NM 120 - 140 / 19 - 22	3,000 m	705801
Anecot® Plus 12/4	18	1500(4)	NM 140 - 160 / 22 - 23	2,000 m	705800



Elastic

for smocking seams

- Material / Construction** 64 % polyester / 36 % polyurethane / Wrapped yarn
- Recommended application** Special sewing machines with cover thread or additional thread
- Product benefits**
- + Special thread with exceptional elasticity
 - + for smocking effects
 - + Uniform wrapping of the elastic core thread

No./Tkt.	dtex	Needle	Make-up	Code
25	1300	NM 100 - 110 / 16 - 18	1,000 m	724017
15	1900	NM 100 - 130 / 16 - 21	1,000 m	784419



Lyocell

for garment dyeing

- Material / Construction** 100 % Tencel® / Spun
- Recommended application** Closing, decorative & overlock seams
- Product benefits**
- + Suitable for garment dyeing
 - + Soft seams
 - + Biodegradable
 - + Optimum engineered extension

No./Tkt.	dtex	Needle	Make-up	Code
120	250(2)	NM 70 - 80 / 10 - 12	5,000 m	748900
70	400(3)	NM 90 - 100 / 14 - 16	5,000 m	748897



Zwibond

for particularly robust seams

- Material / Construction** 100 % polyamide 6.6 / Continuous filament, innerbonded
- Recommended application** Closing & decorative seams
- Product benefits**
- + No untwisting thanks to inner bonding
 - + Reliability on automatic sewing machines
 - + Very high tear resistance
 - + Optimum engineered extension
 - + Suitable for 2-needle applications

No./Tkt.	dtex	Needle	Make-up	Code
60	500(3)	NM 90 - 100 / 14 - 16	6,000 m	713074
40	750(3)	NM 90 - 110 / 14 - 18	4,000 m	713066
30	1000(3)	NM 110 - 130 / 18 - 21	3,000 m	713058
20	1500(3)	NM 120 - 140 / 19 - 22	2,000 m	713040
13	2300(3)	NM 140 - 180 / 22 - 24	1,300 m	713031



Amifil

for particularly robust seams

- Material / Construction** 100 % polyamide 6.6 / Continuous filament
- Recommended application** Closing & decorative seams
- Product benefits**
- + Very high tear resistance
 - + Reliability on automatic sewing machines
 - + Smooth thread surface
 - + Optimum engineered extension
 - + Durable, robust seams

No./Tkt.	dtex	Needle	Make-up	Code
60	450(3)	NM 90 - 100 / 14 - 16	6,000 m	709131
40	700(3)	NM 90 - 110 / 14 - 18	4,000 m	709121
30	900(3)	NM 110 - 130 / 18 - 21	6,000 m	709111
20	1350(3)	NM 120 - 140 / 19 - 22	2,000 m	709101
13	2100(3)	NM 140 - 180 / 22 - 24	1,300 m	709090



Anebraid®

for striking decorative seams

- Material / Construction** 100 % polyester / Continuous filament, braided
- Recommended application** Closing & decorative seams, special sewing machines with cover thread or additional thread
- Product benefits**
- + Can be used as needle thread and gimp threads
 - + Very high tear resistance
 - + High rub resistance
 - + Brilliant appearance

Ø	dtex	Needle	Make-up	Code
1,0	4900	NM 200 - 230 / 25 - 26	800 m	709032





Calora UV

for UV-resistant seams

- Material / Construction** 100 % polyester / Continuous filament
- Recommended application** Closing & decorative seams
- Product benefits**
- + High tear resistance
 - + Optimal UV resistance
 - + Optimal seawater resistance
 - + Very high colour fastness
 - + Good weather resistance



No./Tkt.	dtex	Needle	Make-up	Code
40	750(3)	NM 90 - 110 / 14 - 18	4,000 m	583774
30	1000(3)	NM 110 - 130 / 18 - 21	3,000 m	583766
20	1500(3)	NM 120 - 140 / 19 - 22	2,000 m	583758
15	2000(3)	NM 140 - 160 / 22 - 23	1,500 m	583740



Sunstop®

for UV-resistant seams

- Material / Construction** 100 % polyester / Continuous filament, outerbonded
- Recommended application** Closing & decorative seams
- Product benefits**
- + High tear resistance
 - + Very high rub resistance
 - + Optimal UV resistance
 - + Optimal seawater resistance
 - + Very high colour fastness

No./Tkt.	dtex	Needle	Make-up	Code
40	700(3)	NM 90 - 110 / 14 - 18	3,270 yds = 2,990 m	709170
30	900(3)	NM 110 - 130 / 18 - 21	2,100 yds = 1,920 m	709171
			4,200 yds = 3,840 m	709175
20	1350(3)	NM 120 - 140 / 19 - 22	1,350 yds = 1,234 m	709172
			2,700 yds = 2,468 m	709176
15	2100(3)	NM 140 - 160 / 22 - 23	1,900 yds = 1,737 m	709173



Solbond

for UV-resistant seams

- Material / Construction** 100 % polyester / Continuous filament, outerbonded
- Recommended application** Closing & decorative seams
- Product benefits**
- + High tear resistance
 - + Very high rub resistance
 - + Optimal UV resistance
 - + Optimal seawater resistance
 - + Very high colour fastness

No./Tkt.	dtex	Needle	Make-up	Code
40	750(3)	NM 90 - 110 / 14 - 18	3,000 m	583588
30	1000(3)	NM 110 - 130 / 18 - 21	2,500 m	583570
20	1500(3)	NM 120 - 160 / 19 - 23	1,500 m	583561
10	2500(3)	NM 160 - 230 / 23 - 26	1,000 m	583553



Anesafe®

for heat resistant seams

- Material / Construction** 100 % meta-aramide Nomex® / Spun, short fibre
- Recommended application** Closing, decorative & safety seams
- Product benefits**
- + Short-term high-temperature-resistant at approx. 360°C
 - + Flame retardant and self-extinguishing
 - + Non-melting
 - + Good resistance to chemicals
 - + Very high tear resistance

	No./Tkt.	dtex	Needle	Make-up	Code
Anesafe® 120	120	270(2)	NM 80 - 90 / 12 - 14	5,000 m	705703
Anesafe® 75	75	400(3)	NM 90 - 100 / 14 - 16	700 m	705714
				5,000 m	705702
Anesafe® 50	50	600(3)	NM 100 - 110 / 16 - 18	4,000 m	705705
Anesafe® 36	36	800(3)	NM 110 - 130 / 18 - 21	3,000 m	705704



Gütermann K AR

for heat resistant seams

- Material / construction** 100 % meta-aramide / Spun, Short fibre
- Recommended application** Closing, decorative & safety seams
- Product benefits**
- + Short-term high-temperature-resistant at approx. 360°C
 - + Flame retardant and self-extinguishing
 - + Non-melting
 - + Good resistance to chemicals
 - + Very high tear resistance

	No./Tkt.	dtex	Needle	Make-up	Code
Gütermann K AR 403	70	400(3)	NM 90 - 100 / 14 - 16	5,000 m	771685
Gütermann K AR 753	40	750(3)	NM 100 - 110 / 16 - 18	3,000 m	777918



Gütermann K

for heat resistant seams

- Material / Construction** 100 % meta-aramide Nomex® / Spun, long fibre
- Recommended application** Closing, decorative & safety seams
- Product benefits**
- + Short-term high-temperature-resistant at approx. 360°C
 - + Flame retardant and self-extinguishing
 - + Non-melting
 - + Good resistance to chemicals
 - + Very high tear resistance

	No./Tkt.	dtex	Needle	Make-up	Code
Gütermann K 403	70	400(3)	NM 90 - 100 / 14 - 16	700 m	701319
				5,000 m	701299
Gütermann K 753	40	750(3)	NM 100 - 110 / 16 - 18	3,000 m	701342



Gütermann L

for heat resistant seams

- Material / Construction** 100 % meta-aramide Nomex® / Continuous filament (L753, L1503) / Continuous filament, outerbonded (L1501)
- Recommended application** Closing, decorative & safety seams
- Product benefits**
- + Short-term high-temperature-resistant at approx. 360°C and permanently at 260°C
 - + Flame retardant and self-extinguishing
 - + Very high tear resistance
 - + Good resistance to chemicals

	No./Tkt.	dtex	Needle	Make-up	Code
Gütermann L 753	40	750(3)	NM 90 - 110 / 14 - 18	400 m	701505
				1,200 m	701491
				4,000 m	709328
Gütermann L 1503	20	1500(3)	NM 120 - 140 / 19 - 22	600 m	701548
				2,000 m	724475
Gütermann L 1501	20	1500(1)	NM 120 - 140 / 19 - 22	600 m	703443
				2,000 m	703427





Acero

for extremely heat-resistant seams

- Material / Construction** Stainless steel, para-aramide (Kevlar®) / Wrapped yarn
- Recommended application** Closing seams
- Product benefits**
- + Very high heat resistance up to approx. 700°C under mechanical load and up to approx. 1,000°C without mechanical load
 - + Steel wire core with Kevlar wrapping
 - + Very high tear resistance
 - + Good resistance to chemicals

No./Tkt.	dtex	Needle	Make-up	Code
30	1040	NM 100 - 140 / 16 - 22	2,500 m	733488
15	2100	NM 130 - 150 / 21 - 23	2,500 m	733484



Antistatik

for antistatic seams

- Material / Construction** Steel, polyamide 6.6 / Corespun
- Recommended application** Closing & decorative seams
- Product benefits**
- + Special thread that can meet the requirements of DIN EN ISO 20345 due to its linear resistance
 - + Conductive seams, with low resistance for antistatic effect on protective shoes

	No./Tkt.	dtex	Needle	Make-up	Code
Antistatik 30/4	30	1000 (4)	NM 130 - 150	3,500 m	582093
				7,500 m	582255



Aneguard using Kevlar®

for highly heat-resistant seams

- Material / Construction** 100% para-aramide Kevlar® / Spun
- Recommended application** Closing, decorative & safety seams
- Product benefits**
- + Good high-temperature resistance, as can withstand short term temperatures of up to approx. 420°C
 - + Flame retardant and self-extinguishing
 - + Non-melting
 - + Good resistance to chemicals
 - + Very high tear resistance

No./Tkt.	dtex	Needle	Make-up	Code
50	600(3)	NM 110 - 130 / 18 - 21	6,000 yds = 5,486 m	705922
36	800(4)	NM 120 - 140 / 19 - 22	6,000 yds = 5,486 m	705921
27	1050(4)	NM 130 - 140 / 21 - 22	3,000 yds = 2,743 m	705920



Poly/Poly SF

for silicone-free seams

- Material / Construction** 100 % polyester, Corespun, silicon-free
- Recommended application** Closing seams
- Product benefits**
- + Excellent resistance to chemicals
 - + High moisture resistance
 - + Special thread for the filter industry

No./Tkt.	dtex	Needle	Make-up	Code
80	400(2)	NM 80 - 100 / 12 - 16	33,000 m	585263



Polypropylen SF

for acid and lye resistant seams

- Material / Construction** 100 % polypropylene / Continuous filament, silicon-free
- Recommended application** Closing seams
- Product benefits**
- + Excellent resistance to chemicals
 - + High moisture resistance
 - + Silicone-free special thread for the filter industry

No./Tkt.	dtex	Needle	Make-up	Code
40	750(2)	NM 90 - 110 / 14 - 18	4,000 m	711632
30	1050(3)	NM 110 - 130 / 18 - 21	2,500 m	585157



Polyacryl

for dry heat-resistant seams

- Material / Construction** 100 % polyacrylic / Spun thread
- Recommended application** Closing seams
- Product benefits**
- + Good dry heat resistance
 - + Good resistance to chemicals
 - + Special thread for the filter industry
 - + Good hydrolysis resistance

No./Tkt.	dtex	Needle	Make-up	Code
30	1000(3)	NM 110 - 130 / 18 - 21	3,000 m	748889
			6,000 m	777986



PTFE

for UV-resistant seams

- Material / Construction** 100 % polytetrafluorethylene (PTFE) / Continuous filament
- Recommended application** Closing seams
- Product benefits**
- + Very high tear resistance
 - + Very good heat resistance, short-term up to 300°C, permanent up to 250°C
 - + Good resistance to chemicals
 - + Optimal UV resistance
 - + Very high rub resistance

No./Tkt.	dtex	Needle	Make-up	Code
30	1300(3)	NM 90 - 110 / 14 - 18	4,200 m	724831



WS

for water-soluble seams

- Material / Construction** 100 % polyvinyl alcohol (PVA) / Spun yarn, water-soluble
- Recommended application** Basting or pre-tacking applications
- Product benefits**
- + Can be used like a regular sewing thread without alteration of the machines
 - + Dissolves on contact with water
 - + No chemicals desired
 - + Breaking strength > 600 cN

No./Tkt.	dtex	Needle	Make-up	Code
120	250(2)	NM 70 - 80 / 10 - 12	5,000 m	715492

Complementary Products by A&E

Polyester Threads	23
Cotton Threads	23

100% Polyester Threads

Perma Spun®

100% polyester, Spun



No./Tkt.	dtex	Needle	Make-up	Code
120	270(2)	NM 70 - 80 / 10 - 12	5,000 m	705733
75	400(2)	NM 80 - 100 / 12 - 16	5,000 m	705732
50	600(2)	NM 90 - 110 / 14 - 18	5,000 m	705731
30	900(3)	NM 120 - 130 / 19 - 21	5,000 m	705730

Filan

100% polyester
Continuous filament



No./Tkt.	dtex	Needle	Make-up	Code
80	300(3)	NM 70 - 90 / 10 - 14	15,000 m	705632
			27,000 m	705630
60	500(3)	NM 90 - 100 / 14 - 16	10,000 m	705642
			20,000 m	705643
40	700(3)	NM 90 - 110 / 14 - 18	4,000 m	705620
			8,000 m	705622
30	900(3)	NM 110 - 130 / 18 - 21	3,000 m	705610
20	1350(3)	NM 120 - 140 / 19 - 22	600 m	705601
			2,000 m	705600

Wildcat Plus®

100% polyester
Textured multifilament



No./Tkt.	dtex	Needle	Make-up	Code
160	180(1)	NM 65 - 70 / 9 - 10	10,000 m	705752
80	350(2)	NM 70 - 90 / 10 - 14	5,000 m	705751
			10,000 m	705753
40	700(4)	NM 90 - 110 / 14 - 18	5,000 m	705750

100% Cotton Threads


Anecot®

100% cotton, Spun

	No./Tkt.	dtex	Needle	Make-up	Code
Anecot® 50(3)	90	350(3)	NM 80 - 90 / 12 - 14	10,000 m	705994
Anecot® 50(2)	50	400(2)	NM 90 - 110 / 14 - 16	10,000 m	705993
Anecot® 30(3)	50	600(3)	NM 90 - 110 / 14 - 18	5,000 m	705992
Anecot® 24(3)	40	750(3)	NM 110 - 120 / 18 - 19	5,000 m	705991
Anecot® 16(3)	25	1100(3)	NM 120 - 140 / 19 - 22	3,000 m	705990

+49 76 81 21-0
contact@guetermann.com
Follow us on LinkedIn

guetermann.com



seams
so perfect